Sustainability Report Card

The twelfth annual edition of our Sustainability Report Card discloses the CarbonCount® associated with each of our investments. CarbonCount® is a proprietary scoring tool for evaluating real assets to determine the efficiency by which each dollar of invested capital avoids annual carbon dioxide equivalent (CO₂e) emissions.

Market	Region	CarbonCount	Market	Region	CarbonCount
BTM	National	5.53	BTM	National	0.31
BTM	National	4.95	BTM	National	0.28
BTM	National	3.15	BTM	National	0.28
FTN	East	2.32	BTM	National	0.27
GC	South	0.81	BTM	National	0.27
GC	South	0.78	BTM	National	0.27
BTM	West	0.74	GC	West	0.23
GC	South	0.72	BTM	National	0.21
GC	South	0.69	BTM	West	0.21
GC	South	0.64	BTM	National	0.21
GC	South	0.55	BTM	South	0.21
BTM	South	0.54	BTM	National	0.21
BTM	South	0.52	BTM	International	0.20
GC	South	0.51	GC	West	0.19
BTM	National	0.44	GC	West	0.19
BTM	Midwest	0.4	BTM	West	0.18
BTM	National	0.39	GC	West	0.12
BTM	Midwest	0.36	FTN	Midwest	0.08
BTM	National	0.35	BTM	South	0.06
BTM	Midwest	0.34	FTN	West	0.06
BTM	Midwest	0.34	BTM	East	0.06
BTM	East	0.32	FTN	West	0.05
BTM	Midwest	0.32	BTM	South	0.04
BTM	Midwest	0.32	GC	East	0.01

Total 2024 Investments

CarbonCount	MT CO ₂ Avoided	WaterCount	Gallons of Water Saved
0.38	856k	170	~382m

BTM = Behind the Meter, which includes energy efficiency, C&I/community/residential solar, and solar-plus-storage investments.

GC = Grid-Connected, which includes solar, solar-plus-storage, storage, solar land, and onshore wind investments. FTN = Fuels, Transport & Nature, which includes RNG, fleet decarbonization, and ecological restoration.

CarbonCount® is a proprietary scoring tool for evaluating real assets to determine the efficiency by which each dollar of invested capital avoids annual carbon dioxide equivalent (CO₂e) emissions. Estimated carbon savings are calculated using the estimated kilowatt hours ("KWM"), gallons of fuel oil, million British thermal units ("MMBtus") of natural gas and gallons of water saved as appropriate, for each project. The energy savings are converted into an estimate of metric tons of CO₂ equivalent emissions based upon the project's location and the corresponding emissions factor data from the U.S. Government, International Energy Administration, and Locational Marginal Emissions factors. Portfolios of projects are represented on an aggregate basis. WaterCountTM is a scoring tool that evaluates investments in U.S. based projects to estimate the expected water consumption reduction per \$1,000 of investment. Estimated water savings are calculated as the sum of the direct annual estimated water saving's from energy efficiency measures such as low-flow water fixtures and the annual indirect water savings associated with the annual kWh generated and saved by our investments. The annual kWh of electricity generated and saved by our investments are multiplied by the amount of water withdrawn and not returned to local water systems based upon the project's location and the existing grid electricity generating units in that region. Indirect water savings is estimated using data prepared by the U.S. Government's Energy Information Administration and the Union of Concerned Scientist